

Ⅲ 水  
Ⅳ 土

質  
壤

# Ⅲ 水 質

a 河川、かんがい用水、し尿処理場排水、鉱山排水、工場排水など

| 名 称                | pH          | 原 水 中 (ppm) |          |     |                                |           |              |              |            | 年度<br>昭和 | 依 頼 者               |
|--------------------|-------------|-------------|----------|-----|--------------------------------|-----------|--------------|--------------|------------|----------|---------------------|
|                    |             | N           | A-N      | N-N | H <sub>2</sub> SO <sub>4</sub> | Cl        | 総固形物         | 浮遊物          | 全溶出<br>残留物 |          |                     |
| 原水(砂利工場)           | 6.50        |             |          |     | 6                              | 41        | 684          | 496          |            | 42       | 札幌市 山浦工業            |
| かんがい水              | 7.10        |             |          |     | 23                             | 24        | 295          | 248          |            | "        | "                   |
| 千歳川新川排水            | 6.80        |             |          |     | 114                            | 36        | 318          | 157          |            | "        | 千歳市<br>樽前ブロック       |
| 第3沈澱池水             | 6.90        |             |          |     | 268                            | 30        | 2,203        | 1,835        |            | "        | "                   |
| 原 水                | 7.20        |             |          |     | 72                             | 35        | 287          | 84           |            | "        | "                   |
| 日鉄鉱山排水             | 2.98        |             |          |     | 24                             |           | 650          | 75           |            | "        | 壮瞥町<br>藤川信三         |
| 清 水                | 5.95        |             |          |     | 12                             | tr        | 461          | 21           |            | "        | "                   |
| ユカンボシリ川            | 6.86        |             |          |     | 60                             | 18        | 319          | 145          |            | "        | 千歳市<br>米田忠雄         |
| 幌加川上流水             | 7.55        |             |          |     | 68                             | 17        | 265          | 117          |            | "        | "                   |
| 砂利採集排水<br>(山浦工業)   | 7.25        |             |          |     | 56                             | 22        | 9,967        | 9,745        |            | "        | "                   |
| 沈澱池流水<br>( " )     | 7.59        |             |          |     | 78                             | 20        | 2,921        | 2,718        |            | "        | "                   |
| 砂利工場原水<br>(樽前ブロック) | 7.28        |             |          |     | 101                            | 40        | 1,277        | 981          |            | "        | "                   |
| 沈澱池流水<br>( " )     | 7.53        |             |          |     | 103                            | 31        | 858          | 586          |            | "        | "                   |
| 砂利汚水<br>(山浦樽前合流点)  | 7.55        |             |          |     | 78                             | 32        | 1,357        | 1,147        |            | "        | "                   |
| 剣淵川上流水             | 7.40        |             |          |     | 66                             | 24        | 289          | 134          |            | "        | "                   |
| 協和、久保田工<br>ウラ地点水   | 7.45        |             |          |     | 62                             | 34        | 417          | 240          |            | "        | "                   |
| 平 均                | (9)<br>7.38 |             |          |     | (9)<br>75                      | (9)<br>26 | (9)<br>1,963 | (9)<br>1,757 |            |          |                     |
| し尿処理場放流水1          |             | 21          | 14       |     |                                |           |              |              |            | 43       | 深川市 北空知<br>衛生センター組合 |
| " 2                |             | 6           | 1        |     |                                |           |              |              |            | "        | "                   |
| " 3                |             | 12          | 6        |     |                                |           |              |              |            | "        | "                   |
| " 8                |             | 12          | 6        |     |                                |           |              |              |            | "        | "                   |
| " 10               |             | 10          | 4        |     |                                |           |              |              |            | "        | "                   |
| 平 均                |             | (5)<br>12   | (5)<br>6 |     |                                |           |              |              |            |          |                     |

| 名 称                      | pH           | 原 水 1 ℓ 中 (ppm) |           |     |       |                     |      |       |       |        | 年度<br>昭和 | 依 頼 者   |
|--------------------------|--------------|-----------------|-----------|-----|-------|---------------------|------|-------|-------|--------|----------|---------|
|                          |              | N               | A-N       | N-N | Ca    | Mg                  | 総固形物 | 浮遊物   | 全溶出物  | 溶解性固形物 |          |         |
| 上流水<br>(江別し尿処理場)         | 7.42         | 2               | 1         |     |       |                     |      |       |       |        | 43       | 江別市 市役所 |
| 放流口<br>( " )             | 8.04         | 405             | 387       |     |       |                     |      |       |       |        | "        | "       |
| 取入口<br>( " )             | 7.62         | 48              | 42        |     |       |                     |      |       |       |        | "        | "       |
| 元江別汚水1<br>( " )          | 7.65         | 41              | 28        |     |       |                     |      |       |       |        | "        | "       |
| ( " 2 )                  | 7.50         | 17              | 5         |     |       |                     |      |       |       |        | "        | "       |
| ( " 3 )                  | 6.75         | 17              | 2         |     |       |                     |      |       |       |        | "        | "       |
| 平 均                      | (6)<br>7.50  | (6)<br>88       | (6)<br>78 |     |       |                     |      |       |       |        |          |         |
| し尿処理汚水 A                 | 7.02         | 6               |           |     |       |                     |      |       |       |        | 44       | 南幌町 農協  |
| " B                      | 7.85         | 13              |           |     |       |                     |      |       |       |        | "        | "       |
| " C                      | 7.28         | 8               |           |     |       |                     |      |       |       |        | "        | "       |
| 世田豊平川(5.12)1             | 6.72         | 13              |           |     |       |                     |      |       |       |        | "        | 江別市 市役所 |
| " 2                      | 7.02         | 45              |           |     |       |                     |      |       |       |        | "        | "       |
| " 3                      | 6.95         | 17              |           |     |       |                     |      |       |       |        | "        | "       |
| " 4                      | 7.01         | 27              |           |     |       |                     |      |       |       |        | "        | "       |
| " 5                      | 6.68         | 16              |           |     |       |                     |      |       |       |        | "        | "       |
| " (5.22)1                | 6.95         | 5               |           |     |       |                     |      |       |       |        | "        | "       |
| " 2                      | 7.62         | 81              |           |     |       |                     |      |       |       |        | "        | "       |
| " 3                      | 6.85         | 68              |           |     |       |                     |      |       |       |        | "        | "       |
| " 4                      | 7.05         | 27              |           |     |       |                     |      |       |       |        | "        | "       |
| " 5                      | 6.40         | 86              |           |     |       |                     |      |       |       |        | "        | "       |
| 平 均                      | (10)<br>6.93 | (10)<br>39      |           |     |       |                     |      |       |       |        |          |         |
| 柏木川 上流清水                 | 6.30         |                 |           |     | 8.2   | (Na <sub>10</sub> ) |      | 13    | 87    | 74     | 44       | 恵庭市 市役所 |
| 自衛隊汚水                    | 6.98         |                 |           |     | 10.8  | ( " 28 )            |      | 254   | 412   | 158    | "        | "       |
| 生コンクリート<br>工場汚水          | 10.29        |                 |           |     | 111.9 | ( " 36 )            |      | 748   | 1,150 | 402    | "        | "       |
| ダンボール工場下流水<br>( 柏木川合流点 ) | 11.29        |                 |           |     | 291.7 | ( " 42 )            |      | 3,937 | 4,765 | 828    | "        | "       |
| 水田かんがい水                  | 6.80         |                 |           |     | 12.7  | ( " 13 )            |      | 56    | 136   | 80     | "        | "       |

| 名 称                         | pH          | 原 水 1 ℓ 中 (ppm) |          |            |             |           |      |              |              | 年度<br>昭和   | 依 頼 者        |
|-----------------------------|-------------|-----------------|----------|------------|-------------|-----------|------|--------------|--------------|------------|--------------|
|                             |             | N               | A-N      | N-N        | Ca          | Mg        | 総固形物 | 浮遊物          | 全窒素<br>残留物   |            |              |
| 平 均                         | (5)<br>8.33 |                 |          |            | (5)<br>87.1 | (5)<br>26 |      | (5)<br>1,002 | (5)<br>1,310 | (5)<br>308 |              |
| ひばりが丘閉地<br>下水処理場汚水<br>(8.6) | 1 6.40      | 2               | 1        | 0.8        |             |           |      |              |              | 44         | 札幌市 市役所      |
| "                           | 2 6.50      | 4               | 1        | 0.1        |             |           |      |              |              | "          | "            |
| "                           | 3 6.40      | 10              | 1        | 0.5        |             |           |      |              |              | "          | "            |
| "                           | 4 6.30      | 7               | 1        | 0.2        |             |           |      |              |              | "          | "            |
| "                           | 5 6.40      | 4               | 2        | 0.4        |             |           |      |              |              | "          | "            |
| "                           | 6 6.30      | 4               | 2        | 0.3        |             |           |      |              |              | "          | "            |
| "                           | 7 5.90      | 3               | 2        | 0.3        |             |           |      |              |              | "          | "            |
| "                           | 8 6.00      | 2               | 1        | 0.1        |             |           |      |              |              | "          | "            |
| 平 均                         | (8)<br>6.28 | (8)<br>5        | (8)<br>1 | (8)<br>0.3 |             |           |      |              |              |            |              |
| 工 場 排 水<br>(鉄板工場)           | 3.95        |                 |          |            |             |           |      |              |              | 44         | 札幌市<br>大宮ホーロ |
| 鶏ふん乾燥工場A<br>廃水(脱臭機)         |             | 340             |          |            |             |           |      |              |              | 45         | 広島町<br>北海道糧食 |
| " B<br>(洗滌水)                |             | 32              |          |            |             |           |      |              |              | "          | "            |
| 鶏舎洗滌水                       |             |                 | 13       |            |             |           |      |              |              | "          | "            |
| 鶏ふん肥料工場廃水                   |             |                 | 90       |            |             |           |      |              |              | "          | "            |
| 鶏ふん肥料工場排水                   |             |                 | 40       |            |             |           |      |              |              | "          | 札幌市 市役所      |
| し尿処理場排水                     |             | 126.0           | 120.0    |            |             |           |      |              |              | "          | 恵庭市 市役所      |
| し尿処理場<br>上流柏木川              |             | 0.6             | 0.4      |            |             |           |      |              |              | 46         | "            |
| し尿処理場排水                     |             | 120.5           | 115.3    |            |             |           |      |              |              | "          | "            |
| "                           |             | 56.6            | 48.3     |            |             |           |      |              |              | "          | "            |
| "                           |             | 79.0            | 73.3     |            |             |           |      |              |              | "          | "            |
| し尿処理場排水<br>(下流市街地点)         |             | 0.7             | 0.4      |            |             |           |      |              |              | "          | "            |
| "<br>(下流柏木川)                |             | 1.1             | 0.6      |            |             |           |      |              |              | "          | "            |
| かんがい水(5.15)                 | 5.71        | 1.3             |          |            |             |           |      |              |              | "          | 南幌町 役場       |
| " (6.15)                    | 6.35        | 0.6             |          |            |             |           |      |              |              | "          | "            |
| " (7.15)                    | 6.46        | 0.7             |          |            |             |           |      |              |              | "          | "            |

| 名 称                       | pH | 原 水 1 ℓ 中 (ppm) |     |     |    |    |            |     |            | 年度<br>昭和 | 依 頼 者 |            |
|---------------------------|----|-----------------|-----|-----|----|----|------------|-----|------------|----------|-------|------------|
|                           |    | N               | A-N | N-N | Ca | Mg | 総固形物       | 浮遊物 | 全窒素<br>残渣物 |          |       | 溶解性<br>残渣物 |
| か ん が い 水<br>山本取入口 (8.13) |    | 1.5             | 0.7 |     |    |    |            |     |            |          | 46    | 恵庭市 市役所    |
| し尿処理場排水<br>(大 麻)          |    | 46.0            |     |     |    |    | 420        |     |            |          | 46    | 江別市 野幌農協   |
| “<br>(大麻揚水場)              |    | 6.8             |     |     |    |    | 244        |     |            |          | “     | “          |
| “<br>(棚田地点)               |    | 5.8             |     |     |    |    | 236        |     |            |          | “     | “          |
| し尿処理場上流<br>(大 麻)          |    | 4.9             |     |     |    |    | 268        |     |            |          | “     | “          |
| “<br>(厚 別)                |    | 1.9             |     |     |    |    | 197        |     |            |          | “     | “          |
| 平 均                       |    | (5)<br>13.1     |     |     |    |    | (5)<br>273 |     |            |          |       |            |
| し尿処理場排水<br>(大 麻) 9月       |    | 34.4            |     |     |    |    |            |     | 457        |          | 47    | 江別市 市役所    |
| “ 11月                     |    | 29.8            |     |     |    |    |            |     | 401        |          | “     | “          |
| “<br>(揚水場) 9月             |    | 6.9             |     |     |    |    |            |     | 405        |          | “     | “          |
| “ 11月                     |    | 4.1             |     |     |    |    |            |     | 249        |          | “     | “          |
| “<br>(棚 田) 9月             |    | 5.4             |     |     |    |    |            |     | 364        |          | “     | “          |
| “ 11月                     |    | 4.2             |     |     |    |    |            |     | 217        |          | “     | “          |
| 大麻処理場上流水<br>9月            |    | 2.0             |     |     |    |    |            |     | 259        |          | “     | “          |
| “ 11月                     |    | 2.7             |     |     |    |    |            |     | 190        |          | “     | “          |
| 厚別処理場上流水<br>9月            |    | 1.1             |     |     |    |    |            |     | 294        |          | “     | “          |
| “ 11月                     |    | 10.9            |     |     |    |    |            |     | 261        |          | “     | “          |
| 厚別処理場排水口<br>9月            |    | 26.2            |     |     |    |    |            |     | 369        |          | “     | “          |
| “ 11月                     |    | 6.0             |     |     |    |    |            |     | 416        |          | “     | “          |
| 厚別川、豊平川<br>合流地点 9月        |    | 6.4             |     |     |    |    |            |     | 307        |          | “     | “          |
| “ 11月                     |    | 2.6             |     |     |    |    |            |     | 171        |          | “     | “          |
| 野幌川上流 9月                  |    | 1.5             |     |     |    |    |            |     | 168        |          | “     | “          |
| “ 11月                     |    | 7.7             |     |     |    |    |            |     | 235        |          | “     | “          |
| “ 11月                     |    | 4.3             |     |     |    |    |            |     | 228        |          | “     | “          |
| 17丁目道路側溝水<br>9月           |    | 2.7             |     |     |    |    |            |     | 186        |          | “     | “          |
| “ 11月                     |    | 10.4            |     |     |    |    |            |     | 260        |          | “     | “          |

| 名 称                     | pH   | 原 水 1 ℓ 中 (ppm) |       |         |             |              |                |              |             | 年度<br>昭和   | 依 頼 者           |
|-------------------------|------|-----------------|-------|---------|-------------|--------------|----------------|--------------|-------------|------------|-----------------|
|                         |      | N               | P     | K       | Ca          | Mg           | 溶解性<br>固形物     | 浮遊物          | 全溶<br>残留物   | 溶解性<br>残留物 |                 |
| 平 均                     |      | (19)<br>8.9     |       |         |             |              |                |              | (19)<br>286 |            |                 |
| し尿処理場<br>(放水路)          |      | 85.1            | 13.3  | 15.5    |             |              |                |              |             | 47         | 標津町<br>し尿処理組合   |
| 新川砂利工場排水                | 6.80 |                 |       |         |             |              |                | 312          | 1,377       | 48         | 千歳市 市役所         |
| 対 照 清 水                 | 7.00 |                 |       |         |             |              |                | 19           | 188         | "          | "               |
| 河川水(ダルミ川)               | 6.43 | 3.1             |       |         |             |              |                | 7            | 155         | 147        | 札幌市 共和化工        |
| 網 走 湖 水                 | 6.75 |                 |       |         |             |              |                |              |             |            | 網走市 市役所         |
| "                       | 5.98 |                 |       |         |             |              |                |              |             |            | "               |
| "                       | 6.38 |                 |       |         |             |              |                |              |             |            | "               |
| 河 川 水<br>(旧ルロコマイ川)      | 6.90 |                 |       |         | (S<br>31.2) | (Zn<br>0.09) | (Cu<br>0.01)   | 9            |             | 74         | 49 寿都町 役 場      |
| ル ロ コ マ イ 川             | 6.80 |                 |       |         | ("<br>29.0) | ("<br>0.21)  | ("<br>0.01)    | 6            |             | 80         | "               |
| でん粉廃液A1<br>(デカンター排水10月) | 6.90 | 322.2           | 28.1  | 560.3   |             |              | (有機物<br>2,403) |              |             |            | " 俱知安町 農 協      |
| " A2<br>( " 11月)        | 6.48 | 1,398.4         | 125.5 | 1,826.0 |             |              | 6,451          |              |             |            | "               |
| " B1<br>(セバレート排水10月)    | 6.50 | 31.0            | 2.4   | 44.8    |             |              | 401            |              |             |            | "               |
| " B2<br>( " 11月)        | 4.81 | 44.3            | 5.1   | 52.7    |             |              | 218            |              |             |            | "               |
| でん粉廃液                   |      | 2,745.0         | 258.0 | 3,988.8 | 18.2        | 197.8        |                |              |             | 58         | 中標津町 農 協        |
| 工 場 排 水<br>(缶詰工場)       |      | 7.0             | 0.9   | 1.7     |             |              |                |              | 596         | 50         | 士別市<br>士別浄化工業   |
| "<br>(畜産センター)           |      | 3.0             | 4.4   | 0.8     |             |              |                |              | 103         | "          | "               |
| "<br>(道栄紙業KK)           |      | 3.0             | 0.1   | 2.7     | 35.7        | 4.8          |                |              |             | 55         | 俱知安町 役 場        |
| 千 歳 川 水<br>(舞鶴橋)        | 6.95 | (A-N<br>0.02)   |       | 2.4     | 5.8         | 4.3          | (Fe<br>0.2)    | (Cl<br>25.7) | 170         | 53         | 札幌市<br>川守田 文 男  |
| "<br>( " )              | 6.60 | ("<br>0.04)     |       | 2.0     | 7.3         | 7.1          |                | ("<br>21.3)  | 146         | "          | " 日産宮永<br>共同企業体 |
| 千 歳 川 水                 | 6.40 | ("<br>0.05)     |       | 2.1     |             |              |                |              | 161         | 54         | "               |
| 千 歳 川                   | 6.80 | ("<br>0.04)     |       | 1.1     |             |              |                |              | 115         | "          | "               |
| 学 校 排 水                 | 5.99 | 0.3             | 0.1   | 1.5     |             |              | (Fe<br>0.3)    | (Cl<br>22.0) |             | 51         | 北竜町 役 場         |
| 埋立処理場排水<br>A地点(55.11)   | 6.52 | 16.1            |       |         |             |              | 80             |              |             | 55         | 長沼町 役 場         |
| "<br>(56.11)            | 6.02 | 5.0             |       |         |             |              | 3              |              |             | 56         | "               |
| "<br>(57.11)            | 6.55 | 1.1             |       |         |             |              | 20             |              |             | 57         | "               |

| 名 称                     | pH          | 原 水 1 ℓ 中 (ppm) |      |      |     |     |             |             |              | 年度<br>昭和  | 依 頼 者 |                 |
|-------------------------|-------------|-----------------|------|------|-----|-----|-------------|-------------|--------------|-----------|-------|-----------------|
|                         |             | N               | P    | K    | Ca  | Mg  | 総固形物        | 浮遊物         | 全溶物<br>残留物   |           |       | 溶解性<br>残留物      |
| 埋立処理場排水<br>B地点 (55.11)  | 6.73        | 10.5            |      |      |     |     |             | 19          |              |           | 55    | 長沼町 役 場         |
| “ (56.11)               | 6.08        | 6.7             |      |      |     |     |             | 36          |              |           | 56    | “               |
| “ (57.11)               | 6.32        | 2.1             |      |      |     |     |             | 22          |              |           | 57    | “               |
| “ (56.11)               | 6.38        | 6.8             |      |      |     |     |             | 30          |              |           | 56    | “               |
| “ (57.11)               | 6.70        | 0.8             |      |      |     |     |             | 11          |              |           | 57    | “               |
| 平 均                     | (8)<br>6.41 | (8)<br>6.1      |      |      |     |     |             | (8)<br>28   |              |           |       |                 |
| 清掃センター排水<br>A地点 (55.11) | 6.93        | 8.4             |      |      |     |     |             | 451         |              |           | 55    | “               |
| “ (56.11)               | 6.52        | 5.6             |      |      |     |     |             | 26          |              |           | 56    | “               |
| “ (57.11)               | 6.88        | 0.8             |      |      |     |     |             | 14          |              |           | 57    | “               |
| “ (55.11)               | 6.91        | 3.5             |      |      |     |     |             | 78          |              |           | 55    | “               |
| “ (56.11)               | 6.88        | 7.0             |      |      |     |     |             | 53          |              |           | 56    | “               |
| “ (57.11)               | 7.50        | 2.0             |      |      |     |     |             | 15          |              |           | 57    | “               |
| “ (56.11)               | 6.92        | 20.2            |      |      |     |     |             | 32          |              |           | 56    | “               |
| “ (57.11)               | 7.35        | 7.6             |      |      |     |     |             | 11          |              |           | 57    | “               |
| 平 均                     | (8)<br>6.99 | (8)<br>6.9      |      |      |     |     |             | (8)<br>85   |              |           |       |                 |
| 洗 たく 排 水                | 7.22        | 65.4            | 14.3 | 10.9 | 6.8 | 1.4 | (Na)<br>260 | (Zn)<br>0.2 | (Cu)<br>0.04 | (Hg)<br>0 | 59    | 千歳市<br>エンシヤ千歳工場 |

| 名 称                  | pH          | 原 水 1 ℓ 中 (ppm) |            |             |            |             |             |             |              |             | 年度<br>昭和 | 依 頼 者          |
|----------------------|-------------|-----------------|------------|-------------|------------|-------------|-------------|-------------|--------------|-------------|----------|----------------|
|                      |             | P               | K          | Ca          | Mg         | Fe          | Si          | Mn          | S            | Cl          |          |                |
| ミネラルウォーター<br>(京 極 町) | 8.10        | 0.05            | 4.6        | 6.8         | 3.7        | 0.10        | 22.2        | 25.2        | 14.0         | 67.3        | 47       | 札幌市<br>日本カルシウム |
| ”                    | 7.40        | 0.03            | 1.9        | 8.0         | 2.8        | 0.10        | 22.4        | 8.2         | 6.0          | 42.5        | ”        |                |
| ”                    | 8.10        | 0.08            | 4.0        | 25.8        | 3.4        | 0.12        | 37.3        | 23.7        | 1,794.0      | 70.8        | ”        |                |
| ”                    | 7.80        | 0.07            | 4.8        | 26.5        | 4.9        | 0.10        | 22.4        | 14.5        | 8.0          | 56.7        | ”        |                |
| ”                    | 7.62        | 0.08            | 10.6       | 42.5        | 12.9       | 0.10        | 26.2        | 29.4        | 6.5          | 111.9       | ”        |                |
| ”                    | 7.60        |                 |            | 15.6        |            |             |             |             | 16.2         | 67.3        | ”        |                |
| ”                    | 7.70        | 0.03            | 2.8        | 23.1        | 3.0        | 0.30        | 17.4        | 8.5         | 15.0         | 53.1        | ”        |                |
| 平 均                  | (7)<br>7.76 | (6)<br>0.06     | (6)<br>4.8 | (7)<br>21.2 | (6)<br>5.1 | (6)<br>0.14 | (6)<br>24.7 | (6)<br>18.3 | (7)<br>265.7 | (7)<br>67.1 |          |                |

| 名 称                          | pH    | 原 水 1 ℓ 中 ( ppm ) |       |        |        |        |        |  |  | 年度<br>昭和 | 依 頼 者 |         |
|------------------------------|-------|-------------------|-------|--------|--------|--------|--------|--|--|----------|-------|---------|
|                              |       | SO <sub>4</sub>   | Cu    | Zn     | Fe     | Mn     | Cr(VI) |  |  |          |       |         |
| 農業用水 ( 萱野 )<br>( 8. 30 )     | 6. 98 | 20                | 0. 0  | 0. 08  | 3. 3   | 1. 0   | 0. 0   |  |  |          | 59    | 三笠市 農 協 |
| 高速道路 ( 萱野 )<br>排 水 ( 8. 30 ) | 2. 81 | 13, 080           | 0. 67 | 18. 35 | 664. 0 | 180. 0 | 2. 8   |  |  |          | "     | "       |
| " ( 9. 4 )                   | 2. 97 | 8, 710            | 0. 47 | 10. 82 | 331. 0 | 123. 0 | 2. 1   |  |  |          | "     | "       |
| " ( 9. 14 )                  | 2. 98 | 9, 490            | 0. 44 | 10. 90 | 398. 0 | 126. 0 | 1. 7   |  |  |          | "     | "       |

## IV 土

## 壤

| 区 分                        | 水分    | pH   | 腐植    | 農学会<br>法粘土 | CEC | Ex-<br>CaO | Ex-<br>MgO | W-Cl | りん 酸<br>吸収係数 | 年度<br>昭和 | 依 頼 者            |
|----------------------------|-------|------|-------|------------|-----|------------|------------|------|--------------|----------|------------------|
| 澁 沸 湖 底 泥<br>(A地点0.5~1.0m) | 1.22  | 8.11 | 1.98  | 2.90       |     | 138.3      | 46.7       | 0.11 | 460          | 53       | 札幌市<br>サンコンサルタント |
| 〃<br>(B地点1.2~2.0m)         | 6.44  | 7.40 | 4.60  | 14.30      |     | 134.3      | 57.3       | 0.21 | 980          | 〃        | 〃                |
| 〃<br>(C地点1.2~2.0m)         | 16.52 | 7.03 | 11.67 | 25.45      |     | 135.0      | 63.2       | 0.35 | 1,460        | 〃        | 〃                |

| 区 分      | 水分          | 腐植          | 農学会<br>法粘土   | CEC         |  |  |  |  |  |  | 年度<br>昭和 | 依 頼 者              |
|----------|-------------|-------------|--------------|-------------|--|--|--|--|--|--|----------|--------------------|
| 士幌ダム沈でん土 | 5.55        | 3.71        | 20.75        | 21.9        |  |  |  |  |  |  | 53       | 上士幌町 電源開<br>発北海道支社 |
| 〃        | 2.62        | 0.16        | 0.40         | 8.4         |  |  |  |  |  |  | 〃        | 〃                  |
| 〃        | 3.99        | 5.45        | 21.98        | 17.6        |  |  |  |  |  |  | 〃        | 〃                  |
| 〃        | 2.01        | 0.13        | 0.33         | 8.7         |  |  |  |  |  |  | 〃        | 〃                  |
| 〃        | 7.18        | 0.11        | 17.85        | 19.9        |  |  |  |  |  |  | 〃        | 〃                  |
| 平 均      | (5)<br>4.27 | (5)<br>1.91 | (5)<br>12.26 | (5)<br>15.3 |  |  |  |  |  |  | 〃        | 〃                  |

| 区 分                     | 水分   | pH   | EC   | H <sub>2</sub> SO <sub>4</sub> |  |  |  |  |  |  | 年度<br>昭和 | 依 頼 者           |
|-------------------------|------|------|------|--------------------------------|--|--|--|--|--|--|----------|-----------------|
| 十勝岳泥流土<br>( 0 ~ 1.5 m ) | 1.83 | 5.10 | 0.03 | 2.21                           |  |  |  |  |  |  | 58       | 旭川市<br>北日本ボーリング |
| 〃<br>( 1.5 ~ 2.5 m )    | 6.40 | 4.95 | 0.04 | 2.84                           |  |  |  |  |  |  | 〃        | 〃               |
| 〃<br>( 3.0 ~ 3.5 m )    | 3.90 | 4.20 | 0.03 | 4.62                           |  |  |  |  |  |  | 〃        | 〃               |