

付表 16 施肥標準表

作目 コ-ト	作物 コ-ト	作物名	地帯 区分	作型 13-ト	沖 積 土				泥 炭 土				火 山 性 土				洪 積 土				分施率%安定			
1	01	水稻全層			N	P	K	M	N	P	K	M	N	P	K	M	N	P	K	M	N	P	K	区分
			01A	0~3	8.5	9.0	9.0	0.0	6.0	8.5	9.0	0.0	8.5	9.0	9.0	0.0	7.5	8.5	8.0	0.0	15			2
			01B	0~3	8.0	8.5	8.5	0.0	5.5	8.0	8.5	0.0	8.0	8.5	8.5	0.0	7.0	8.0	8.0	0.0	15			2
			02A	0~3	8.5	9.0	9.0	0.0	6.0	8.5	9.0	0.0	8.5	9.0	9.0	0.0	7.5	8.5	8.0	0.0	15			2
			02B	0~3	8.0	8.5	8.5	0.0	5.5	8.0	8.5	0.0	8.0	8.5	8.5	0.0	7.0	8.0	8.0	0.0	15			2
			02C	0~3	7.0	8.0	8.0	0.0	5.0	7.5	8.0	0.0	7.5	8.5	8.0	0.0	6.5	7.5	7.0	0.0	15			
			03A	0~3	8.5	9.0	9.0	0.0	6.0	8.5	9.0	0.0	8.5	9.0	9.0	0.0	7.5	8.5	8.0	0.0	15			2
			03B	0~3	7.0	8.0	8.0	0.0	5.0	7.5	8.0	0.0	7.5	8.5	8.0	0.0	6.5	7.5	7.0	0.0	15			3
			04A	0~3	9.0	9.0	9.0	0.0	6.5	8.5	9.5	0.0	9.0	9.0	9.0	0.0	8.0	8.5	8.5	0.0	15			1
			04B	0~3	8.5	9.0	9.0	0.0	6.0	8.5	9.0	0.0	8.5	9.0	9.0	0.0	7.5	8.5	8.0	0.0	15			2
			05A	0~3	9.0	9.0	9.0	0.0	6.5	8.5	9.5	0.0					8.0	8.5	8.5	0.0	15			1
			05B	0~3	8.0	8.5	8.5	0.0	5.5	8.0	8.5	0.0					7.0	8.0	8.0	0.0	15			2
			06A	0~3	9.0	9.0	9.0	0.0	6.5	8.5	9.5	0.0					8.0	8.5	8.5	0.0	15			1
			06B	0~3	8.5	9.0	9.0	0.0	6.0	8.5	9.0	0.0					7.5	8.5	8.0	0.0	15			2
			07A	0~3	9.0	9.0	9.0	0.0	6.5	8.5	9.5	0.0	9.0	9.0	9.0	0.0	8.0	8.5	8.5	0.0	15			1
			07B	0~3	8.5	9.0	9.0	0.0	6.0	8.5	9.0	0.0	8.5	9.0	9.0	0.0	7.5	8.5	8.0	0.0	15			2
			08A	0~3	9.5	9.5	9.5	0.0	7.0	9.0	10.0	0.0					8.5	9.0	9.0	0.0	15			1
			08B	0~3	9.0	9.0	9.0	0.0	6.5	8.5	9.5	0.0					8.0	8.5	8.5	0.0	15			1
			08C	0~3	8.0	8.5	8.5	0.0	5.5	8.0	8.5	0.0					7.0	8.0	8.0	0.0	15			2
			09A	0~3	10.0	10.0	10.0	0.0	7.5	9.0	10.0	0.0					9.0	9.0	9.0	0.0	15			1
			09B	0~3	9.5	9.5	9.5	0.0	7.0	9.0	10.0	0.0					8.5	9.0	9.0	0.0	15			1
			09C	0~3	8.0	8.5	8.5	0.0	5.5	8.0	8.5	0.0					7.0	8.0	8.0	0.0	15			2
			10A	0~3	8.5	9.0	9.0	0.0	6.0	8.5	9.0	0.0					7.5	8.5	8.0	0.0	15			2
			10B	0~3	8.0	8.5	8.5	0.0	5.5	8.0	8.5	0.0					7.0	8.0	8.0	0.0	15			2
			10C	0~3	7.0	8.0	8.0	0.0	5.0	7.5	8.0	0.0					6.5	7.5	7.0	0.0	15			3
			11A	0~3	9.0	9.0	9.0	0.0	6.5	8.5	9.5	0.0					8.0	8.5	8.5	0.0	15			1
			11B	0~3	7.0	8.0	8.0	0.0	5.0	7.5	8.0	0.0	7.5	8.5	8.0	0.0	6.5	7.5	7.0	0.0	15			3
			13A	0~3	8.0	8.5	8.5	0.0	5.5	8.0	8.5	0.0	8.0	8.5	8.5	0.0	7.0	8.0	8.0	0.0	15			
			13B	0~3	7.0	8.0	8.0	0.0	5.0	7.5	8.0	0.0	7.5	8.5	8.0	0.0	6.5	7.5	7.0	0.0	15			3
			14A	0~3	8.0	8.5	8.5	0.0	5.5	8.0	8.5	0.0					7.0	8.0	8.0	0.0	15			
			14B	0~3	7.0	8.0	8.0	0.0	5.0	7.5	8.0	0.0					6.5	7.5	7.0	0.0	15			3
			160	0~3	7.0	8.0	8.0	0.0	5.0	7.5	8.0	0.0	7.5	8.5	8.0	0.0	6.5	7.5	7.0	0.0	15			3

作目	作物	作物名	地帯	作型	沖 積 土				泥 炭 土				火 山 性 土				洪 積 土				分施率%分施			
コ-ト	コ-ト		区分	コ-ト	N	P	K	M	N	P	K	M	N	P	K	M	N	P	K	M	N	P	K	回数
2	01	秋まき小麦	01	0	10.0	12.0	9.0	3.0	7.0	14.0	10.0	5.0	10.0	14.0	9.0	5.0					60			1
			02	0	8.0	12.0	9.0	3.0	7.0	14.0	10.0	5.0	10.0	14.0	9.0	5.0					60			1
			03	0	10.0	12.0	9.0	3.0					10.0	15.0	10.0	5.0	10.0	14.0	9.0	5.0	60			1
			04	0	8.0	12.0	9.0	3.0	7.0	14.0	10.0	5.0	10.0	14.0	9.0	5.0					60			1
			05	0	10.0	12.0	9.0	3.0	7.0	14.0	10.0	5.0									60			1
			06	0	10.0	12.0	9.0	3.0	7.0	14.0	10.0	5.0									60			1
			07	0	10.0	12.0	9.0	3.0	8.0	14.0	10.0	5.0	10.0	15.0	10.0	5.0	10.0	14.0	9.0	5.0	60			1
			08	0	10.0	12.0	9.0	3.0	8.0	14.0	10.0	5.0					10.0	14.0	9.0	5.0	60			1
			09A	0	10.0	12.0	9.0	3.0	8.0	14.0	10.0	5.0	10.0	15.0	10.0	5.0	10.0	14.0	9.0	5.0	60			1
			09B	0	10.0	12.0	9.0	3.0					10.0	15.0	10.0	5.0	10.0	14.0	9.0	5.0	60			1
			10	0	10.0	12.0	9.0	3.0	8.0	14.0	10.0	5.0					10.0	14.0	9.0	5.0	60			1
			11	0	8.0	12.0	9.0	3.0									10.0	14.0	9.0	5.0	60			1
			13	0	12.0	12.0	9.0	3.0	7.0	14.0	10.0	5.0	12.0	15.0	10.0	5.0	12.0	14.0	9.0	5.0	60			1
			14	0	12.0	12.0	9.0	3.0	7.0	14.0	10.0	5.0	12.0	15.0	10.0	5.0	12.0	14.0	9.0	5.0	60			1
			15	0	9.0	12.0	9.0	3.0					10.0	15.0	10.0	5.0					60			1
			16	0	10.0	12.0	9.0	3.0					11.0	15.0	10.0	5.0					60			1
			17	0	9.0	12.0	9.0	3.0					9.0	15.0	10.0	5.0					60			1
2	02	春まき小麦	01	0	7.0	12.0	7.0	3.0	6.0	12.0	8.0	5.0	8.0	15.0	8.0	5.0								
			02	0	7.0	12.0	7.0	3.0	6.0	12.0	8.0	5.0	8.0	15.0	8.0	5.0								
			03	0	7.0	12.0	7.0	3.0					8.0	15.0	8.0	5.0	8.0	15.0	8.0	5.0				
			04	0	7.0	12.0	7.0	3.0	6.0	12.0	8.0	5.0	8.0	15.0	8.0	5.0								
			05	0	7.0	12.0	7.0	3.0	6.0	12.0	8.0	5.0												
			06	0	7.0	12.0	7.0	3.0	6.0	12.0	8.0	5.0												
			07	0	7.0	12.0	7.0	3.0	6.0	12.0	8.0	5.0	8.0	15.0	8.0	5.0	8.0	15.0	8.0	5.0				
			08	0	7.0	12.0	7.0	3.0	6.0	12.0	8.0	5.0	8.0	15.0	8.0	5.0	8.0	15.0	8.0	5.0				
			09A	0	7.0	12.0	7.0	3.0	6.0	12.0	8.0	5.0	8.0	15.0	8.0	5.0	8.0	15.0	8.0	5.0				
			09B	0	7.0	12.0	7.0	3.0					8.0	15.0	8.0	5.0	8.0	15.0	8.0	5.0				
			10	0	7.0	12.0	7.0	3.0	6.0	12.0	8.0	5.0	8.0	15.0	8.0	5.0	8.0	15.0	8.0	5.0				
			11	0	7.0	12.0	7.0	3.0																
			13	0	10.0	12.0	8.0	3.0	6.0	15.0	10.0	5.0	10.0	15.0	10.0	5.0	10.0	15.0	10.0	5.0				
			14	0	10.0	12.0	8.0	3.0	6.0	15.0	10.0	5.0	10.0	15.0	10.0	5.0	10.0	15.0	10.0	5.0				
			15	0	7.0	12.0	7.0	3.0					8.0	15.0	8.0	5.0								
			16	0	7.0	12.0	7.0	3.0					8.0	15.0	8.0	5.0								
			17	0	7.0	12.0	7.0	3.0					8.0	15.0	8.0	5.0								

作目 コード	作物 コード	作物名	地帯 区分	作型 コード	沖 積 土				泥 炭 土				火 山 性 土				洪 積 土				分施率%分施回数			
					N	P	K	M	N	P	K	M	N	P	K	M	N	P	K	M	N	P	K	回数
2	03	えん麦	01	0	5.5	8.0	8.0	3.0					5.0	10.0	8.0	5.0								
			02	0	4.5	8.0	7.0	3.0	4.0	10.0	8.0	5.0	5.0	10.0	8.0	5.0								
			03	0	5.0	8.0	7.0	3.0					6.0	10.0	8.0	5.0	6.0	10.0	7.0	5.0				
			04	0	4.5	8.0	7.0	3.0	4.0	10.0	8.0	5.0	6.0	10.0	8.0	5.0								
			05	0	5.5	8.0	7.0	3.0	4.0	10.0	8.0	5.0					6.0	10.0	7.0	5.0				
			06	0	5.0	8.0	7.0	3.0	4.0	10.0	8.0	5.0					6.0	10.0	7.0	5.0				
			07	0	5.5	8.0	8.0	3.0	4.5	10.0	8.0	5.0	6.0	10.0	8.0	5.0	6.0	10.0	7.0	5.0				
			08	0	5.5	8.0	8.0	3.0	4.5	10.0	10.0	5.0					6.0	10.0	7.0	5.0				
			09A	0	5.0	8.0	8.0	3.0	4.5	10.0	10.0	5.0	6.0	10.0	8.0	5.0	6.0	10.0	7.0	5.0				
			09B	0	5.0	8.0	8.0	3.0					5.5	10.0	8.0	5.0	5.5	10.0	7.0	5.0				
			10	0	5.5	8.0	7.0	3.0	4.5	10.0	10.0	5.0					6.0	10.0	7.0	5.0				
			11	0	5.5	8.0	7.0	3.0	4.5	10.0	10.0	5.0					5.5	10.0	7.0	5.0				
			12A	0	4.5	8.0	7.0	3.0	4.0	10.0	10.0	5.0					5.0	10.0	7.0	5.0				
			12B	0	5.0	8.0	7.0	3.0									5.0	10.0	7.0	5.0				
			13	0	6.0	8.0	8.0	3.0	4.5	10.0	10.0	5.0	6.0	10.0	8.0	5.0	5.0	10.0	7.0	5.0				
			14	0	6.0	8.0	8.0	3.0	4.5	10.0	10.0	5.0	6.0	10.0	8.0	5.0	5.0	10.0	7.0	5.0				
			15	0	4.0	8.0	8.0	3.0	3.0	10.0	8.0	5.0	4.0	10.0	8.0	5.0								
			16	0	5.0	8.0	8.0	3.0	3.0	10.0	8.0	5.0	5.0	10.0	8.0	5.0								
			17	0	4.0	8.0	8.0	3.0	3.0	10.0	8.0	5.0	4.0	10.0	8.0	5.0								
2	04	てん菜	01	0	14.0	18.0	14.0	3.0	12.0	20.0	16.0	5.0	16.0	25.0	16.0	5.0	15.0	20.0	15.0	5.0				
			02	0	14.0	18.0	14.0	3.0	12.0	20.0	16.0	5.0	16.0	22.0	16.0	5.0								
			03	0	14.0	18.0	14.0	3.0					16.0	22.0	16.0	5.0	15.0	20.0	15.0	5.0				
			04	0	14.0	18.0	14.0	3.0	12.0	20.0	16.0	5.0	16.0	22.0	16.0	5.0								
			05	0	14.0	18.0	14.0	3.0	12.0	20.0	16.0	5.0	16.0	22.0	16.0	5.0	15.0	20.0	15.0	5.0				
			06	0	14.0	18.0	14.0	3.0	12.0	20.0	16.0	5.0					15.0	20.0	15.0	5.0				
			07	0	14.0	18.0	14.0	3.0	12.0	20.0	16.0	5.0	16.0	22.0	16.0	5.0	15.0	20.0	15.0	5.0				
			08	0	14.0	20.0	14.0	3.0	12.0	20.0	16.0	5.0					15.0	20.0	15.0	5.0				
			09A	0	14.0	20.0	14.0	3.0	12.0	20.0	16.0	5.0	16.0	22.0	16.0	5.0	15.0	20.0	15.0	5.0				
			09B	0	14.0	20.0	14.0	3.0	12.0	20.0	16.0	5.0	16.0	22.0	16.0	5.0	15.0	22.0	15.0	5.0				
			10	0	14.0	20.0	14.0	3.0	12.0	20.0	16.0	5.0					15.0	20.0	15.0	5.0				
			11	0	14.0	20.0	14.0	3.0	12.0	20.0	16.0	5.0					15.0	20.0	15.0	5.0				
			12A	0	14.0	20.0	14.0	3.0	12.0	22.0	16.0	5.0					15.0	22.0	14.0	5.0				
			12B	0	14.0	20.0	14.0	3.0									15.0	22.0	15.0	5.0				
			13	0	14.0	20.0	14.0	3.0	12.0	20.0	16.0	5.0	16.0	25.0	16.0	5.0	15.0	22.0	15.0	5.0				
			14	0	14.0	20.0	14.0	3.0	12.0	20.0	16.0	5.0	16.0	25.0	16.0	5.0	15.0	22.0	15.0	5.0				

作目	作物	作物名	地帯	作型	沖 積 土				泥 炭 土				火 山 性 土				洪 積 土				分施率%分施			
コード	コード		区分	コード	N	P	K	M	N	P	K	M	N	P	K	M	N	P	K	M	N	P	K	回数
			15	0	14.0	20.0	14.0	3.0					16.0	25.0	16.0	5.0								
			16	0	13.0	20.0	14.0	3.0	12.0	23.0	16.0	5.0	16.0	25.0	16.0	5.0								
			17	0	14.0	20.0	14.0	3.0	12.0	25.0	16.0	5.0	16.0	25.0	16.0	5.0								
			18A	0									15.0	25.0	15.0	5.0								
			18B	0									15.0	25.0	15.0	5.0								
2	05	でん原用ばれいしょ	01	0	9.0	14.0	10.0	3.0	6.0	15.0	12.0	5.0	10.0	18.0	12.0	5.0								
			02	0	9.0	14.0	10.0	3.0	6.0	15.0	12.0	5.0	10.0	18.0	12.0	5.0	10.0	16.0	11.0	5.0				
			03	0	10.0	14.0	11.0	3.0					11.0	18.0	12.0	5.0	10.0	16.0	11.0	5.0				
			04	0	8.0	14.0	10.0	3.0					10.0	18.0	12.0	5.0	10.0	16.0	11.0	5.0				
			05	0	9.0	14.0	11.0	3.0	6.0	15.0	12.0	5.0	10.0	18.0	12.0	5.0	10.0	16.0	11.0	5.0				
			06	0	9.0	14.0	11.0	3.0	6.0	15.0	12.0	5.0					10.0	16.0	11.0	5.0				
			07	0	9.0	14.0	11.0	3.0					10.0	18.0	12.0	5.0	10.0	16.0	11.0	5.0				
			08	0	9.0	14.0	11.0	3.0									10.0	16.0	11.0	5.0				
			09A	0	9.0	14.0	11.0	3.0	6.0	15.0	12.0	5.0	10.0	18.0	12.0	5.0	9.0	16.0	11.0	5.0				
			09B	0	9.0	14.0	11.0	3.0					10.0	18.0	12.0	5.0	9.0	16.0	11.0	5.0				
			10	0	9.0	14.0	11.0	3.0	6.0	15.0	12.0	5.0					9.0	16.0	11.0	5.0				
			11	0	8.0	14.0	10.0	3.0	6.0	15.0	12.0	5.0					9.0	16.0	11.0	5.0				
			12A	0	8.0	14.0	10.0	3.0									9.0	16.0	11.0	5.0				
			12B	0	8.0	14.0	10.0	3.0									9.0	16.0	11.0	5.0				
			13	0	9.0	15.0	12.0	3.0	7.0	15.0	13.0	5.0	10.0	18.0	13.0	5.0	10.0	16.0	12.0	5.0				
			14	0	9.0	15.0	12.0	3.0	7.0	15.0	13.0	5.0	10.0	18.0	13.0	5.0	10.0	16.0	12.0	5.0				
			15	0	7.0	14.0	11.0	3.0					8.0	20.0	12.0	5.0								
			16	0	7.0	14.0	11.0	3.0					8.0	20.0	12.0	5.0								
			17	0	7.0	14.0	10.0	3.0	6.0	15.0	12.0	5.0	8.0	20.0	12.0	5.0								
			18A	0	7.0	14.0	10.0	3.0	6.0	15.0	12.0	5.0	8.0	20.0	12.0	5.0								
2	06	生食用ばれいしょ	01	0	8.0	14.0	11.0	3.0	5.0	15.0	12.0	5.0	9.0	18.0	12.0	5.0	9.0	16.0	11.0	5.0				
			02	0	8.0	14.0	11.0	3.0	5.0	15.0	12.0	5.0	9.0	18.0	12.0	5.0								
			03	0	9.0	14.0	12.0	3.0					10.0	18.0	13.0	5.0	10.0	16.0	11.0	5.0				
			04	0	7.0	14.0	11.0	3.0					8.0	18.0	12.0	5.0								
			05	0	8.0	14.0	11.0	3.0	5.0	15.0	13.0	5.0	10.0	18.0	13.0	5.0	8.0	16.0	11.0	5.0				
			06	0	7.0	14.0	11.0	3.0	5.0	15.0	12.0	5.0	8.0	18.0	12.0	5.0	8.0	16.0	11.0	5.0				
			07	0	8.0	14.0	11.0	3.0	5.0	15.0	12.0	5.0	8.0	18.0	12.0	5.0	8.0	16.0	11.0	5.0				
			08	0	8.0	14.0	11.0	3.0	5.0	15.0	12.0	5.0					8.0	16.0	11.0	5.0				
			09A	0	8.0	14.0	11.0	3.0	5.0	15.0	12.0	5.0	8.0	18.0	12.0	5.0	8.0	16.0	11.0	5.0				
			09B	0	8.0	14.0	11.0	3.0					8.0	18.0	12.0	5.0	8.0	16.0	11.0	5.0				

作目 コード	作物 コード	作物名	地帯 区分	作型 コード	沖 積 土				泥 炭 土				火 山 性 土				洪 積 土				分施率%分施			
					N	P	K	M	N	P	K	M	N	P	K	M	N	P	K	M	N	P	K	回数
			10	0	7.0	14.0	11.0	3.0	5.0	15.0	13.0	5.0					8.0	16.0	11.0	5.0				
			11	0	7.0	14.0	11.0	3.0	5.0	15.0	12.0	5.0					8.0	16.0	11.0	5.0				
			12A	0	6.0	14.0	10.0	3.0																
			12B	0	7.0	14.0	11.0	3.0																
			13	0	7.0	14.0	12.0	3.0	5.0	15.0	13.0	5.0	8.0	18.0	13.0	5.0	8.0	16.0	11.0	5.0				
			14	0	7.0	14.0	12.0	3.0	5.0	15.0	13.0	5.0	8.0	18.0	13.0	5.0	8.0	16.0	11.0	5.0				
			15	0	4.0	14.0	11.0	3.0					6.0	20.0	12.0	5.0								
			16	0	4.0	14.0	11.0	3.0					6.0	20.0	12.0	5.0								
			17	0	4.0	14.0	10.0	3.0	4.0	15.0	13.0	5.0	6.0	20.0	12.0	5.0	6.0	18.0	11.0	5.0				
			18A	0									6.0	20.0	12.0	5.0								
2	07	加工用ばれいしょ	01	0	7.0	14.0	10.0	3.0					8.0	18.0	11.0	5.0								
			03	0	8.0	14.0	11.0	3.0					9.0	18.0	12.0	5.0	9.0	18.0	11.0	5.0				
			05	0	8.0	14.0	11.0	3.0					9.0	18.0	12.0	5.0	9.0	18.0	11.0	5.0				
			06	0	7.0	14.0	10.0	3.0					8.0	18.0	11.0	5.0								
			07	0	8.0	14.0	11.0	3.0					9.0	18.0	12.0	5.0								
			09A	0	6.0	14.0	10.0	3.0					8.0	18.0	10.0	5.0	8.0	18.0	10.0	5.0				
			09B	0	6.0	14.0	10.0	3.0					8.0	18.0	10.0	5.0	8.0	18.0	10.0	5.0				
			10	0	6.0	14.0	10.0	3.0									8.0	18.0	11.0	5.0				
			13	0	7.0	14.0	11.0	3.0					8.0	18.0	12.0	5.0	8.0	18.0	11.0	5.0				
			14	0	7.0	14.0	11.0	3.0					8.0	18.0	12.0	5.0	8.0	18.0	11.0	5.0				
			15	0	4.0	14.0	10.0	3.0					6.0	20.0	10.0	5.0								
			16	0	4.0	14.0	10.0	3.0					6.0	20.0	11.0	5.0								
			17	0	4.0	14.0	10.0	3.0					6.0	20.0	11.0	5.0								
2	08	大豆	01	0	1.5	11.0	8.0	3.0	1.5	12.0	10.0	5.0	2.0	15.0	8.0	5.0	2.0	12.0	8.0	5.0				
			02	0	1.5	11.0	8.0	3.0					2.0	15.0	8.0	5.0								
			03	0	1.5	11.0	8.0	3.0					2.0	15.0	8.0	5.0								
			04	0	1.5	11.0	8.0	3.0	1.5	12.0	10.0	5.0	2.0	15.0	8.0	5.0	2.0	12.0	8.0	5.0				
			05	0	1.5	11.0	8.0	3.0	1.5	12.0	10.0	5.0	2.0	15.0	8.0	5.0	2.0	12.0	8.0	5.0				
			06	0	1.5	11.0	8.0	3.0	1.5	12.0	10.0	5.0					2.0	12.0	8.0	5.0				
			07	0	1.5	11.0	8.0	3.0	1.5	12.0	10.0	5.0	2.0	15.0	8.0	5.0	2.0	12.0	8.0	5.0				
			08	0	1.5	11.0	8.0	3.0	1.5	12.0	10.0	5.0					2.0	12.0	8.0	5.0				
			09A	0	1.5	11.0	8.0	3.0	1.5	12.0	10.0	5.0	2.0	15.0	8.0	5.0	2.0	12.0	8.0	5.0				
			09B	0	1.5	11.0	8.0	3.0	1.5	12.0	10.0	5.0	2.0	15.0	8.0	5.0	2.0	12.0	8.0	5.0				
			10	0	1.5	11.0	8.0	3.0	1.5	12.0	10.0	5.0					2.0	12.0	8.0	5.0				
			11	0	1.5	11.0	8.0	3.0	1.5	12.0	10.0	5.0					2.0	12.0	8.0	5.0				
			13	0	1.5	13.0	8.0	3.0	1.5	15.0	10.0	5.0	2.0	20.0	8.0	5.0	2.0	18.0	8.0	5.0				

作目	作物	作物名	地帯	作型	沖 積 土				泥 炭 土				火 山 性 土				洪 積 土				分施率%分施			
コ-ト	コ-ト		区分	1コ-ト	N	P	K	M	N	P	K	M	N	P	K	M	N	P	K	M	N	P	K	回数
			14	0	1.5	13.0	8.0	3.0	1.5	15.0	10.0	5.0	2.0	20.0	8.0	5.0	2.0	18.0	8.0	5.0				
			15	0	1.5	13.0	8.0	3.0	1.5	15.0	10.0	5.0	2.0	20.0	8.0	5.0								
			16	0	1.5	13.0	8.0	3.0	1.5	15.0	10.0	5.0	2.0	20.0	8.0	5.0								
			17	0	1.5	13.0	8.0	3.0	1.5	15.0	10.0	5.0	2.0	20.0	8.0	5.0								
2	09	小豆 (えん豆)	01	0	3.0	10.0	7.0	3.0	2.0	12.0	10.0	5.0	4.0	15.0	8.0	5.0	4.0	15.0	8.0	5.0				
			02	0	3.0	10.0	7.0	3.0					4.0	15.0	8.0	5.0								
			03	0	3.0	10.0	7.0	3.0					4.0	15.0	8.0	5.0								
			04	0	3.0	10.0	7.0	3.0	2.0	12.0	10.0	5.0	4.0	15.0	8.0	5.0	3.0	15.0	8.0	5.0				
			05	0	3.0	10.0	7.0	3.0	2.0	12.0	10.0	5.0	3.0	15.0	8.0	5.0	3.0	15.0	8.0	5.0				
			06	0	3.0	10.0	7.0	3.0	2.0	12.0	10.0	5.0					4.0	15.0	8.0	5.0				
			07	0	3.0	10.0	7.0	3.0	2.0	12.0	10.0	5.0	3.0	15.0	8.0	5.0	3.0	15.0	8.0	5.0				
			08	0	3.0	10.0	7.0	3.0	2.0	12.0	10.0	5.0					4.0	15.0	8.0	5.0				
			09A	0	3.0	10.0	7.0	3.0	2.0	12.0	10.0	5.0	4.0	15.0	8.0	5.0	4.0	15.0	8.0	5.0				
			09B	0	3.0	10.0	7.0	3.0	2.0	12.0	10.0	5.0	4.0	15.0	8.0	5.0	4.0	15.0	8.0	5.0				
			10	0	3.0	10.0	7.0	3.0	2.0	12.0	10.0	5.0					4.0	15.0	8.0	5.0				
			11	0	3.0	10.0	7.0	3.0	2.0	12.0	10.0	5.0					3.0	15.0	8.0	5.0				
			13	0	3.0	13.0	7.0	3.0	2.0	15.0	10.0	5.0	4.0	20.0	8.0	5.0	3.0	18.0	8.0	5.0				
			14	0	3.0	13.0	7.0	3.0	2.0	15.0	10.0	5.0	4.0	20.0	8.0	5.0	4.0	18.0	8.0	5.0				
			15	0	3.0	13.0	7.0	3.0					4.0	20.0	8.0	5.0								
			16	0	3.0	13.0	7.0	3.0	2.0	15.0	10.0	5.0	4.0	20.0	8.0	5.0								
			17	0	3.0	13.0	7.0	3.0	2.0	15.0	10.0	5.0	4.0	20.0	8.0	5.0								
2	10	菜豆	01	0	3.5	9.0	8.0	3.0					3.5	15.0	8.0	5.0	3.0	12.0	8.0	5.0				
			03	0	3.0	9.0	8.0	3.0					4.0	15.0	8.0	5.0								
			05	0	3.0	10.0	8.0	3.0									3.0	12.0	8.0	5.0				
			06	0	3.5	10.0	8.0	3.0	2.5	12.0	10.0	5.0					3.5	12.0	8.0	5.0				
			07	0	3.5	10.0	8.0	3.0	2.0	12.0	10.0	5.0	4.0	15.0	8.0	5.0	3.5	12.0	8.0	5.0				
			08	0	4.0	10.0	8.0	3.0	2.5	12.0	10.0	5.0					4.0	12.0	8.0	5.0				
			09A	0	4.0	10.0	8.0	3.0	2.5	12.0	10.0	5.0	4.0	15.0	8.0	5.0	4.0	12.0	8.0	5.0				
			09B	0	4.0	10.0	8.0	3.0	2.5	12.0	10.0	5.0	4.0	15.0	8.0	5.0	4.0	12.0	8.0	5.0				
			10	0	4.0	10.0	8.0	3.0	2.5	12.0	10.0	5.0					4.0	12.0	8.0	5.0				
			11	0	4.0	10.0	8.0	3.0	2.5	12.0	10.0	5.0					4.0	12.0	8.0	5.0				
			13	0	4.0	13.0	8.0	3.0	2.5	15.0	10.0	5.0	4.0	18.0	8.0	5.0	4.0	15.0	8.0	5.0				
			14	0	4.0	13.0	8.0	3.0	2.5	15.0	10.0	5.0	4.0	18.0	8.0	5.0	4.0	15.0	8.0	5.0				
			15	0	4.0	13.0	8.0	3.0					4.0	18.0	8.0	5.0								
			16	0	4.0	13.0	8.0	3.0	2.0	15.0	10.0	5.0	4.0	18.0	8.0	5.0								
			17	0	4.0	13.0	8.0	3.0	2.0	15.0	10.0	5.0	4.0	18.0	8.0	5.0								

作目 コード	作物 コード	作物名	地帯 区分	作型 コード	沖 積 土				泥 炭 土				火 山 性 土				洪 積 土				分施率%分施回数			
					N	P	K	M	N	P	K	M	N	P	K	M	N	P	K	M	N	P	K	回数
2	11	そば	1	0	2.0	7.0	6.0	3.0	1.0	8.0	8.0	5.0	2.5	10.0	8.0	5.0								
			2	0	2.5	7.0	6.0	3.0	1.5	8.0	8.0	5.0	3.0	10.0	8.0	5.0	3.0	8.0	6.0	5.0				
			3	0	2.0	7.0	6.0	3.0	1.0	8.0	8.0	5.0	2.5	10.0	8.0	5.0	2.5	8.0	6.0	5.0				
			4	0	2.5	7.0	6.0	3.0	1.5	8.0	8.0	5.0	3.0	10.0	8.0	5.0	3.0	8.0	6.0	5.0				
			5	0	2.5	7.0	6.0	3.0	1.5	8.0	8.0	5.0	3.0	10.0	8.0	5.0								
			6	0	2.0	7.0	6.0	3.0	1.0	8.0	8.0	5.0	2.5	10.0	8.0	5.0								
2	12	ひまわり	1	0	5.0	8.0	10.0	3.0	4.0	10.0	10.0	5.0	6.0	10.0	10.0	5.0	6.0	10.0	10.0	5.0				
			2	0	5.0	8.0	10.0	3.0	4.0	10.0	10.0	5.0	6.0	10.0	10.0	5.0	6.0	10.0	10.0	5.0				
			3	0	5.0	8.0	10.0	3.0	4.0	10.0	10.0	5.0	6.0	10.0	10.0	5.0	6.0	10.0	10.0	5.0				
			4	0	5.0	8.0	10.0	3.0	4.0	10.0	10.0	5.0	6.0	10.0	10.0	5.0	6.0	10.0	10.0	5.0				
			5	0	5.0	8.0	10.0	3.0	4.0	10.0	10.0	5.0	6.0	10.0	10.0	5.0	6.0	10.0	10.0	5.0				
			6	0	5.0	8.0	10.0	3.0	4.0	10.0	10.0	5.0	6.0	10.0	10.0	5.0	6.0	10.0	10.0	5.0				
2	13	2条大麦	01	0	5.5	8.0	8.0	3.0					5.0	10.0	8.0	5.0								
			02	0	4.5	8.0	7.0	3.0	4.0	10.0	8.0	5.0	5.0	10.0	8.0	5.0								
			03	0	5.0	8.0	7.0	3.0					6.0	10.0	8.0	5.0	6.0	10.0	7.0	5.0				
			04	0	4.5	8.0	7.0	3.0	4.0	10.0	8.0	5.0	6.0	10.0	8.0	5.0								
			05	0	5.5	8.0	7.0	3.0	4.0	10.0	8.0	5.0					6.0	10.0	7.0	5.0				
			06	0	5.0	8.0	7.0	3.0	4.0	10.0	8.0	5.0					6.0	10.0	7.0	5.0				
			07	0	5.5	8.0	8.0	3.0	4.5	10.0	8.0	5.0	6.0	10.0	8.0	5.0	6.0	10.0	7.0	5.0				
			08	0	5.5	8.0	8.0	3.0	4.5	10.0	10.0	5.0					6.0	10.0	7.0	5.0				
			09A	0	5.0	8.0	8.0	3.0	4.5	10.0	10.0	5.0	6.0	10.0	8.0	5.0	5.0	10.0	7.0	5.0				
			09B	0	5.0	8.0	8.0	3.0					5.5	10.0	8.0	5.0	5.5	10.0	7.0	5.0				
			10	0	5.5	8.0	7.0	3.0	4.5	10.0	10.0	5.0					6.0	10.0	7.0	5.0				
			11	0	5.5	8.0	7.0	3.0	4.5	10.0	10.0	5.0					5.5	10.0	7.0	5.0				
			12A	0	4.5	8.0	7.0	3.0	4.0	10.0	10.0	5.0					5.0	10.0	7.0	5.0				
			12B	0	5.0	8.0	7.0	3.0									5.0	10.0	7.0	5.0				
			13	0	6.0	8.0	8.0	3.0	4.5	10.0	10.0	5.0	5.0	13.0	8.0	5.0	5.0	10.0	7.0	5.0				
			14	0	6.0	8.0	8.0	3.0	4.5	10.0	10.0	5.0	5.0	13.0	8.0	5.0	5.0	10.0	7.0	5.0				
			15	0	4.0	8.0	8.0	3.0	3.0	10.0	8.0	5.0	4.0	10.0	8.0	5.0								
			16	0	5.0	8.0	8.0	3.0	3.0	10.0	8.0	5.0	5.0	10.0	8.0	5.0								
			17	0	4.0	8.0	8.0	3.0	3.0	10.0	8.0	5.0	4.0	10.0	8.0	5.0								

作目 コード	作物 コード	作物名	地帯 区分	作型 コード	沖 積 土				泥 炭 土				火 山 性 土				洪 積 土				分 施 率 % 分 施 回 数			
					N	P	K	M	N	P	K	M	N	P	K	M	N	P	K	M	N	P	K	回数
3	01	スイートコーン	0	1	15.0	15.0	13.0	4.0	12.0	15.0	13.0	4.0	15.0	15.0	13.0	4.0	15.0	15.0	13.0	4.0				
			0	2	15.0	15.0	13.0	4.0	12.0	20.0	13.0	4.0	15.0	24.0	13.0	4.0	15.0	22.0	13.0	4.0				
			0	3	15.0	15.0	13.0	4.0	12.0	20.0	13.0	4.0	15.0	24.0	13.0	4.0	15.0	22.0	13.0	4.0				
			0	4	15.0	15.0	13.0	4.0	12.0	20.0	13.0	4.0	15.0	24.0	13.0	4.0	15.0	22.0	13.0	4.0	40			1
3	02	きゅうり	0	1	20.0	20.0	20.0	6.0																
			0	2	20.0	20.0	20.0	6.0																
			0	3	20.0	20.0	20.0	6.0																
			0	4	20.0	15.0	15.0	6.0																
3	03	トマト	0	1	20.0	20.0	20.0	6.0																
			0	2	20.0	20.0	20.0	6.0																
			0	3	20.0	12.0	12.0	6.0																
3	04	なす	0	1	15.0	20.0	10.0	2.0																
			0	2	15.0	20.0	10.0	2.0																
3	05	ピーマン	0	1	15.0	20.0	10.0	5.0																
			0	2	15.0	20.0	10.0	5.0																
			0	3	15.0	20.0	10.0	5.0																
3	06	プリンスメロン	0	1	10.0	18.0	12.0	3.0					14.0	22.0	16.0	3.0					50		50	1
3	07	メロン	0	1	15.0	20.0	17.0	3.0					18.0	25.0	20.0	3.0					30		30	1
			0	2	15.0	20.0	17.0	3.0					15.0	25.0	20.0	3.0					30		30	1
			0	3	15.0	20.0	17.0	3.0					18.0	25.0	20.0	3.0					30		30	1
3	08	すいか	0	1	12.0	15.0	15.0	3.0					15.0	20.0	18.0	3.0					50		50	1
3	09	かぼちゃ	0	1	8.0	10.0	8.0	3.0					10.0	15.0	12.0	3.0					40		40	1
			0	2	8.0	10.0	8.0	3.0					10.0	15.0	12.0	3.0					40		40	1
3	10	いちご	0	1	20.0	10.0	25.0	2.0					20.0	10.0	25.0	2.0					50		60	1
			0	2	15.0	10.0	15.0	2.0					20.0	10.0	20.0	2.0								
			0	3	15.0	20.0	15.0	2.0					20.0	20.0	20.0	2.0					30	50	30	1
3	11	キャベツ	0	1	14.0	14.0	12.0	3.0	11.0	14.0	12.0	3.0									30		30	1
			0	2	14.0	14.0	12.0	3.0	11.0	14.0	12.0	3.0									30		30	1
			0	3	20.0	14.0	18.0	3.0	16.0	14.0	18.0	3.0									30		30	1
			0	4	22.0	15.0	20.0	3.0	18.0	15.0	20.0	3.0									30		30	1
3	12	はくさい	0	1	18.0	15.0	16.0	3.0	14.0	15.0	16.0	3.0												
			0	2	20.0	17.0	18.0	3.0	16.0	17.0	18.0	3.0												
			0	3	22.0	18.0	20.0	3.0	18.0	18.0	20.0	3.0									20		20	1
			0	4	25.0	20.0	20.0	3.0	20.0	20.0	22.0	3.0									20		20	1

作目 コード	作物 コード	作物名	地帯 区分	作型 コード	N	P	K	M	N	P	K	M	N	P	K	M	N	P	K	M	N	P	K	M	分 回	施率%	回数		
3	13	ほうれんそう	0	1	12.0	15.0	12.0	2.0																					
			0	2	10.0	15.0	10.0	2.0																					
			0	3	12.0	15.0	12.0	2.0																					
			0	4	10.0	15.0	10.0	2.0																					
3	14	たまねぎ	0	1	15.0	20.0	15.0	2.0																					
			0	2	15.0	20.0	15.0	2.0																					
3	15	ねぎ	0	1	20.0	25.0	15.0	2.0																		50	50	1	
			0	2	15.0	15.0	12.0	2.0																		50	50	1	
			0	3	20.0	20.0	15.0	2.0																		60	60	2	
3	16	アスパラガス	0	1	11.0	20.0	10.0	4.0	11.0	20.0	10.0	4.0	11.0	20.0	10.0	4.0	11.0	20.0	10.0	4.0									
			0	2	22.0	15.0	15.0	4.0	22.0	15.0	15.0	4.0	22.0	15.0	15.0	4.0	22.0	15.0	15.0	4.0									
3	17	だいこん	0	1	6.0	8.0	7.0	3.0						7.0	12.0	8.0	3.0												
			0	2	6.0	8.0	7.0	3.0						7.0	12.0	8.0	3.0												
			0	3	7.0	10.0	8.0	3.0						9.0	15.0	10.0	3.0												
3	18	にんじん	0	1	12.0	15.0	13.0	3.0						12.0	20.0	15.0	3.0												
3	19	ごぼう	0	1	18.0	15.0	18.0	4.0						18.0	20.0	18.0	4.0								50	50	2		
3	20	ながいも	0	1	15.0	25.0	20.0	3.0						15.0	30.0	24.0	3.0								50	50	1		
3	21	にんにく	0	1	18.0	25.0	18.0	2.0																	50	50	1		
3	22	食用ゆり	0	1	25.0	30.0	25.0	2.0					25.0	35.0	25.0	2.0									60	60	2		
3	23	にら	0	1	30.0	40.0	30.0	2.0																		25	5	15	1
			0	2	33.0	16.0	33.0	2.0																					
			0	3	20.0	40.0	20.0	2.0																					
			0	4	26.0	10.0	26.0	2.0																		15		15	1
3	24	みつば	0	1	15.0	20.0	15.0	2.0																					
3	25	レタス	0	1	18.0	14.0	16.0	3.0																					
			0	2	12.0	12.0	14.0	3.0																					
			0	3	12.0	12.0	14.0	3.0																					
3	26	ブロッコリー	0	1	14.0	14.0	12.0	3.0																					
3	27	カリフラワー	0	1	20.0	14.0	18.0	2.0																					
3	28	さやえんどう	0	1	6.0	10.0	10.0	2.0																					
3	29	セルリー	0	1	50.0	30.0	50.0	3.0																		60	60	3	
			0	2	60.0	60.0	60.0	3.0																		60	60	3	
3	30	青ねぎ	0	1	20.0	35.0	25.0	2.0																					
3	31	ミニトマト	0	1	15.0	20.0	20.0	6.0																					
4	01	きく(大中輪ぎく)	0	1	25.0	25.0	25.0	0.0																		30	30	1	
4	02	大中輪カーネーション	0	1	35.0	20.0	35.0	0.0																		70	70	3	

作目	作物	作物名	地帯	作型	沖 積 土				泥 炭 土				火 山 性 土				洪 積 土				分 施 率 % 分 施			
コード	コード		区分	コード	N	P	K	M	N	P	K	M	N	P	K	M	N	P	K	M	N	P	K	回数
4	03	スプレーカーネーション	0	1	40.0	20.0	40.0	0.0													70		70	3
4	04	宿根カスミソウ	0	1	10.0	10.0	10.0	0.0																
			0	2	10.0	10.0	10.0	0.0																
4	05	スターチス(シスター)	0	1	20.0	20.0	20.0	0.0																
4	06	宿根スターチス	0	1	15.0	15.0	15.0	0.0													50		50	1
			0	2	25.0	25.0	25.0	0.0													70		70	1
4	07	花ゆり球根	0	1	20.0	30.0	20.0	0.0													60		60	2
4	08	トルコギキョウ	0	1	25.0	25.0	25.0	0.0													60		60	3
4	09	デルフィニウム	0	1	20.0	20.0	20.0	0.0													50		50	1
			0	2	20.0	20.0	20.0	0.0													50		50	1
4	10	ラクスパー(スプレー除く)	0	1	10.0	10.0	10.0	0.0																
4	11	ストック	0	1	18.0	18.0	18.0	0.0																
			0	2	15.0	15.0	15.0	0.0																
4	12	キンギョソウ	0	1	15.0	15.0	15.0	0.0																
			0	2	10.0	10.0	10.0	0.0																
4	13	アルストロメリア	0	1	40.0	40.0	40.0	0.0													60	40	60	1
			0	2	50.0	50.0	50.0	0.0													60	40	60	1
4	14	バラ(冬季休眠型)	0	1	40.0	40.0	40.0	0.0													60	40	60	1
			0	2	50.0	50.0	50.0	0.0													75	75	75	1

作目 コード	作物 コード	作物名	地帯 区分	作型 コード	沖 積 土				泥 炭 土				火 山 性 土				洪 積 土				分施率%分施回数			
					N	P	K	M	N	P	K	M	N	P	K	M	N	P	K	M	N	P	K	回数
5	01	りんご	1	1	14.0	9.0	11.0	4.0	14.0	9.0	11.0	4.0	14.0	9.0	11.0	4.0	14.0	9.0	11.0	4.0				
			1	2	9.0	6.0	7.0	4.0	9.0	6.0	7.0	4.0	9.0	6.0	7.0	4.0	9.0	6.0	7.0	4.0				
			1	3	5.0	4.0	5.0	4.0	5.0	4.0	5.0	4.0	5.0	4.0	5.0	4.0	5.0	4.0	5.0	4.0				
			2	1	12.0	8.0	10.0	4.0	12.0	8.0	10.0	4.0	12.0	8.0	10.0	4.0	12.0	8.0	10.0	4.0				
			2	2	7.0	5.0	6.0	4.0	7.0	5.0	6.0	4.0	7.0	5.0	6.0	4.0	7.0	5.0	6.0	4.0				
			2	3	4.0	3.0	3.0	4.0	4.0	3.0	3.0	4.0	4.0	3.0	3.0	4.0	4.0	3.0	3.0	4.0				
			3	1	10.0	7.0	8.0	4.0	10.0	7.0	8.0	4.0	10.0	7.0	8.0	4.0	10.0	7.0	8.0	4.0				
			3	2	7.0	5.0	6.0	4.0	7.0	5.0	6.0	4.0	7.0	5.0	6.0	4.0	7.0	5.0	6.0	4.0				
			3	3	4.0	3.0	3.0	4.0	4.0	3.0	3.0	4.0	4.0	3.0	3.0	4.0	4.0	3.0	3.0	4.0				
5	02	日本なし・東洋なし	1	1	18.0	12.0	15.0	4.0	18.0	12.0	15.0	4.0	18.0	12.0	15.0	4.0	18.0	12.0	15.0	4.0				
			1	2	10.0	7.0	8.0	4.0	10.0	7.0	8.0	4.0	10.0	7.0	8.0	4.0	10.0	7.0	8.0	4.0				
			1	3	6.0	4.0	5.0	4.0	6.0	4.0	5.0	4.0	6.0	4.0	5.0	4.0	6.0	4.0	5.0	4.0				
			2	1	16.0	10.0	13.0	4.0	16.0	10.0	13.0	4.0	16.0	10.0	13.0	4.0	16.0	10.0	13.0	4.0				
			2	2	9.0	6.0	7.0	4.0	9.0	6.0	7.0	4.0	9.0	6.0	7.0	4.0	9.0	6.0	7.0	4.0				
			2	3	6.0	4.0	5.0	4.0	6.0	4.0	5.0	4.0	6.0	4.0	5.0	4.0	6.0	4.0	5.0	4.0				
			3	1	16.0	10.0	13.0	4.0	16.0	10.0	13.0	4.0	16.0	10.0	13.0	4.0	16.0	10.0	13.0	4.0				
			3	2	9.0	6.0	7.0	4.0	9.0	6.0	7.0	4.0	9.0	6.0	7.0	4.0	9.0	6.0	7.0	4.0				
			3	3	6.0	4.0	5.0	4.0	6.0	4.0	5.0	4.0	6.0	4.0	5.0	4.0	6.0	4.0	5.0	4.0				
5	03	西洋なし	1	1	14.0	9.0	11.0	4.0	14.0	9.0	11.0	4.0	14.0	9.0	11.0	4.0	14.0	9.0	11.0	4.0				
			1	2	9.0	6.0	7.0	4.0	9.0	6.0	7.0	4.0	9.0	6.0	7.0	4.0	9.0	6.0	7.0	4.0				
			1	3	5.0	4.0	4.0	4.0	5.0	4.0	4.0	4.0	5.0	4.0	4.0	4.0	5.0	4.0	4.0	4.0				
			2	1	12.0	8.0	10.0	4.0	12.0	8.0	10.0	4.0	12.0	8.0	10.0	4.0	12.0	8.0	10.0	4.0				
			2	2	7.0	5.0	6.0	4.0	7.0	5.0	6.0	4.0	7.0	5.0	6.0	4.0	7.0	5.0	6.0	4.0				
			2	3	4.0	3.0	3.0	4.0	4.0	3.0	3.0	4.0	4.0	3.0	3.0	4.0	4.0	3.0	3.0	4.0				
			3	1	10.0	7.0	8.0	4.0	10.0	7.0	8.0	4.0	10.0	7.0	8.0	4.0	10.0	7.0	8.0	4.0				
			3	2	7.0	5.0	6.0	4.0	7.0	5.0	6.0	4.0	7.0	5.0	6.0	4.0	7.0	5.0	6.0	4.0				
			3	3	4.0	3.0	3.0	4.0	4.0	3.0	3.0	4.0	4.0	3.0	3.0	4.0	4.0	3.0	3.0	4.0				
5	04	生食用ぶどう	1	1	13.0	9.0	13.0	4.0	13.0	9.0	13.0	4.0	13.0	9.0	13.0	4.0	13.0	9.0	13.0	4.0				
			1	2	8.0	6.0	8.0	4.0	8.0	6.0	8.0	4.0	8.0	6.0	8.0	4.0	8.0	6.0	8.0	4.0				
			1	3	4.0	3.0	3.0	4.0	4.0	3.0	3.0	4.0	4.0	3.0	3.0	4.0	4.0	3.0	3.0	4.0				
			2	1	11.0	8.0	11.0	4.0	11.0	8.0	11.0	4.0	11.0	8.0	11.0	4.0	11.0	8.0	11.0	4.0				
			2	2	6.0	4.0	6.0	4.0	6.0	4.0	6.0	4.0	6.0	4.0	6.0	4.0	6.0	4.0	6.0	4.0				
			2	3	3.0	2.0	3.0	4.0	3.0	2.0	3.0	4.0	3.0	2.0	3.0	4.0	3.0	2.0	3.0	4.0				

作目 コード	作物 コード	作物名	地帯 区分	作型 コード	沖 積 土				泥 炭 土				火 山 性 土				洪 積 土				分施率%分施 回数			
					N	P	K	M	N	P	K	M	N	P	K	M	N	P	K	M	N	P	K	回数
5	05	醸造用ぶどう	1	1	10.0	7.0	10.0	4.0	10.0	7.0	10.0	4.0	10.0	7.0	10.0	4.0	10.0	7.0	10.0	4.0				
			1	2	6.0	4.0	6.0	4.0	6.0	4.0	6.0	4.0	6.0	4.0	6.0	4.0	6.0	4.0	6.0	4.0				
			1	3	3.0	2.0	3.0	4.0	3.0	2.0	3.0	4.0	3.0	2.0	3.0	4.0	3.0	2.0	3.0	4.0				
			2	1	8.0	6.0	8.0	4.0	8.0	6.0	8.0	4.0	8.0	6.0	8.0	4.0	8.0	6.0	8.0	4.0				
			2	2	5.0	3.0	5.0	4.0	5.0	3.0	5.0	4.0	5.0	3.0	5.0	4.0	5.0	3.0	5.0	4.0				
			2	3	3.0	2.0	3.0	4.0	3.0	2.0	3.0	4.0	3.0	2.0	3.0	4.0	3.0	2.0	3.0	4.0				
			3	1	8.0	6.0	8.0	4.0	8.0	6.0	8.0	4.0	8.0	6.0	8.0	4.0	8.0	6.0	8.0	4.0				
			3	2	5.0	3.0	5.0	4.0	5.0	3.0	5.0	4.0	5.0	3.0	5.0	4.0	5.0	3.0	5.0	4.0				
			3	3	3.0	2.0	3.0	4.0	3.0	2.0	3.0	4.0	3.0	2.0	3.0	4.0	3.0	2.0	3.0	4.0				
	06	おうとう	1	1	12.0	8.0	12.0	0.0	12.0	8.0	12.0	0.0	12.0	8.0	12.0	0.0	12.0	8.0	12.0	0.0	30	30	30	1
			1	2	8.0	6.0	8.0	0.0	8.0	6.0	8.0	0.0	8.0	6.0	8.0	0.0	8.0	6.0	8.0	0.0				
			1	3	5.0	4.0	5.0	0.0	5.0	4.0	5.0	0.0	5.0	4.0	5.0	0.0	5.0	4.0	5.0	0.0				
			2	1	12.0	8.0	12.0	0.0	12.0	8.0	12.0	0.0	12.0	8.0	12.0	0.0	12.0	8.0	12.0	0.0	30	30	30	1
			2	2	8.0	6.0	8.0	0.0	8.0	6.0	8.0	0.0	8.0	6.0	8.0	0.0	8.0	6.0	8.0	0.0				
			2	3	5.0	4.0	5.0	0.0	5.0	4.0	5.0	0.0	5.0	4.0	5.0	0.0	5.0	4.0	5.0	0.0				
			3	1	10.0	7.0	10.0	0.0	10.0	7.0	10.0	0.0	10.0	7.0	10.0	0.0	10.0	7.0	10.0	0.0	30	30	30	1
			3	2	7.0	5.0	7.0	0.0	7.0	5.0	7.0	0.0	7.0	5.0	7.0	0.0	7.0	5.0	7.0	0.0				
			3	3	4.0	3.0	4.0	0.0	4.0	3.0	4.0	0.0	4.0	3.0	4.0	0.0	4.0	3.0	4.0	0.0				
5	07	くり	1	1	10.0	8.0	10.0	0.0	10.0	8.0	10.0	0.0	10.0	8.0	10.0	0.0	10.0	8.0	10.0	0.0				
			1	2	5.0	4.0	5.0	0.0	5.0	4.0	5.0	0.0	5.0	4.0	5.0	0.0	5.0	4.0	5.0	0.0				
			2	1	8.0	6.0	8.0	0.0	8.0	6.0	8.0	0.0	8.0	6.0	8.0	0.0	8.0	6.0	8.0	0.0				
5	08	すもも	2	2	5.0	4.0	5.0	0.0	5.0	4.0	5.0	0.0	5.0	4.0	5.0	0.0	5.0	4.0	5.0	0.0				
			1	1	12.0	8.0	12.0	0.0	12.0	8.0	12.0	0.0	12.0	8.0	12.0	0.0	12.0	8.0	12.0	0.0				
			1	2	8.0	6.0	8.0	0.0	8.0	6.0	8.0	0.0	8.0	6.0	8.0	0.0	8.0	6.0	8.0	0.0				
			1	3	5.0	4.0	5.0	0.0	5.0	4.0	5.0	0.0	5.0	4.0	5.0	0.0	5.0	4.0	5.0	0.0				
			2	1	12.0	8.0	12.0	0.0	12.0	8.0	12.0	0.0	12.0	8.0	12.0	0.0	12.0	8.0	12.0	0.0				
			2	2	8.0	6.0	8.0	0.0	8.0	6.0	8.0	0.0	8.0	6.0	8.0	0.0	8.0	6.0	8.0	0.0				
			2	3	5.0	4.0	5.0	0.0	5.0	4.0	5.0	0.0	5.0	4.0	5.0	0.0	5.0	4.0	5.0	0.0				
5	09	ブルーベリー	1	1	12.0	8.0	12.0	0.0	12.0	8.0	12.0	0.0	12.0	8.0	12.0	0.0	12.0	8.0	12.0	0.0				
			1	2	8.0	6.0	8.0	0.0	8.0	6.0	8.0	0.0	8.0	6.0	8.0	0.0	8.0	6.0	8.0	0.0				
			1	3	5.0	4.0	5.0	0.0	5.0	4.0	5.0	0.0	5.0	4.0	5.0	0.0	5.0	4.0	5.0	0.0				
			2	1	12.0	8.0	12.0	0.0	12.0	8.0	12.0	0.0	12.0	8.0	12.0	0.0	12.0	8.0	12.0	0.0				
			2	2	8.0	6.0	8.0	0.0	8.0	6.0	8.0	0.0	8.0	6.0	8.0	0.0	8.0	6.0	8.0	0.0				
			2	3	5.0	4.0	5.0	0.0	5.0	4.0	5.0	0.0	5.0	4.0	5.0	0.0	5.0	4.0	5.0	0.0				

作目 コード	作物 コード	作物名	地帯 区分	作型 コード	沖 積 土				泥 炭 土				火 山 性 土				洪 積 土				分施率%分施 回数			
					N	P	K	M	N	P	K	M	N	P	K	M	N	P	K	M	N	P	K	回数
5	10	ハスカップ	0	1	8.0	8.0	8.0	0.0	8.0	8.0	8.0	0.0	8.0	8.0	8.0	0.0	8.0	8.0	8.0	0.0				
			0	2	6.0	6.0	6.0	0.0	6.0	6.0	6.0	0.0	6.0	6.0	6.0	0.0	6.0	6.0	6.0	0.0				
			0	3	3.0	3.0	3.0	0.0	3.0	3.0	3.0	0.0	3.0	3.0	3.0	0.0	3.0	3.0	3.0	0.0				
5	11	ブルーベリー	1	1	8.0	6.0	8.0	0.0	8.0	6.0	8.0	0.0	8.0	6.0	8.0	0.0	8.0	6.0	8.0	0.0				
			1	2	6.0	4.0	6.0	0.0	6.0	4.0	6.0	0.0	6.0	4.0	6.0	0.0	6.0	4.0	6.0	0.0				
			1	3	4.0	2.0	3.0	0.0	4.0	2.0	3.0	0.0	4.0	2.0	3.0	0.0	4.0	2.0	3.0	0.0				
			2	1	8.0	6.0	8.0	0.0	8.0	6.0	8.0	0.0	8.0	6.0	8.0	0.0	8.0	6.0	8.0	0.0				
			2	2	6.0	4.0	6.0	0.0	6.0	4.0	6.0	0.0	6.0	4.0	6.0	0.0	6.0	4.0	6.0	0.0				
			2	3	4.0	2.0	3.0	0.0	4.0	2.0	3.0	0.0	4.0	2.0	3.0	0.0	4.0	2.0	3.0	0.0				
			3	1	6.0	4.0	6.0	0.0	6.0	4.0	6.0	0.0	6.0	4.0	6.0	0.0	6.0	4.0	6.0	0.0				
			3	2	4.0	3.0	4.0	0.0	4.0	3.0	4.0	0.0	4.0	3.0	4.0	0.0	4.0	3.0	4.0	0.0				
			3	3	3.0	2.0	3.0	0.0	3.0	2.0	3.0	0.0	3.0	2.0	3.0	0.0	3.0	2.0	3.0	0.0				
5	12	きいちご	1	1	10.0	10.0	10.0	0.0	10.0	10.0	10.0	0.0	10.0	10.0	10.0	0.0	10.0	10.0	10.0	0.0				
			1	2	6.0	4.0	6.0	0.0	6.0	4.0	6.0	0.0	6.0	4.0	6.0	0.0	6.0	4.0	6.0	0.0				
			1	3	4.0	2.0	3.0	0.0	4.0	2.0	3.0	0.0	4.0	2.0	3.0	0.0	4.0	2.0	3.0	0.0				
			2	1	10.0	10.0	10.0	0.0	10.0	10.0	10.0	0.0	10.0	10.0	10.0	0.0	10.0	10.0	10.0	0.0				
			2	2	6.0	4.0	6.0	0.0	6.0	4.0	6.0	0.0	6.0	4.0	6.0	0.0	6.0	4.0	6.0	0.0				
			2	3	4.0	2.0	3.0	0.0	4.0	2.0	3.0	0.0	4.0	2.0	3.0	0.0	4.0	2.0	3.0	0.0				
			3	1	8.0	8.0	8.0	0.0	8.0	8.0	8.0	0.0	8.0	8.0	8.0	0.0	8.0	8.0	8.0	0.0				
			3	2	6.0	4.0	6.0	0.0	6.0	4.0	6.0	0.0	6.0	4.0	6.0	0.0	6.0	4.0	6.0	0.0				
			3	3	4.0	2.0	3.0	0.0	4.0	2.0	3.0	0.0	4.0	2.0	3.0	0.0	4.0	2.0	3.0	0.0				
5	13	カーランツ	0	1	10.0	8.0	10.0	0.0	10.0	8.0	10.0	0.0	10.0	8.0	10.0	0.0	10.0	8.0	10.0	0.0				
			0	2	6.0	4.0	6.0	0.0	6.0	4.0	6.0	0.0	6.0	4.0	6.0	0.0	6.0	4.0	6.0	0.0				
			0	3	4.0	2.0	3.0	0.0	4.0	2.0	3.0	0.0	4.0	2.0	3.0	0.0	4.0	2.0	3.0	0.0				
5	14	グーズベリー	0	1	10.0	8.0	10.0	0.0	10.0	8.0	10.0	0.0	10.0	8.0	10.0	0.0	10.0	8.0	10.0	0.0				
			0	2	6.0	4.0	6.0	0.0	6.0	4.0	6.0	0.0	6.0	4.0	6.0	0.0	6.0	4.0	6.0	0.0				
			0	3	4.0	2.0	3.0	0.0	4.0	2.0	3.0	0.0	4.0	2.0	3.0	0.0	4.0	2.0	3.0	0.0				

作目	作物	作物名	地帯	作型	沖 積 土				泥 炭 土				火 山 性 土				洪 積 土				分 施 率 % 分 施			
コード	コード		区分	コード	N	P	K	M	N	P	K	M	N	P	K	M	N	P	K	M	N	P	K	回数
6	*1	造成・更新	0	1	4.0	20.0	5.0	0.0	3.0	25.0	5.0	0.0	4.0	25.0	5.0	0.0	4.0	25.0	5.0	0.0				
			0	2	4.0	15.0	6.0	0.0	3.0	20.0	8.0	0.0	4.0	20.0	8.0	0.0	4.0	20.0	6.0	0.0				
6	*2	採草チモシー	1	1	4.0	8.0	18.0	0.0	2.0	10.0	22.0	4.0	4.0	10.0	22.0	4.0	4.0	8.0	18.0	0.0				
			1	2	6.0	8.0	18.0	0.0	4.0	10.0	22.0	4.0	6.0	10.0	22.0	4.0	6.0	8.0	18.0	0.0				
			1	3	10.0	6.0	18.0	0.0	8.0	8.0	22.0	4.0	10.0	8.0	22.0	4.0	10.0	6.0	18.0	0.0				
			1	4	16.0	6.0	18.0	0.0	14.0	8.0	22.0	4.0	16.0	8.0	22.0	4.0	16.0	6.0	18.0	0.0				
			2	1	4.0	8.0	15.0	0.0	2.0	10.0	22.0	4.0	4.0	8.0	15.0	4.0	4.0	8.0	15.0	0.0				
			2	2	6.0	6.0	15.0	0.0	4.0	10.0	22.0	4.0	6.0	6.0	15.0	4.0	6.0	6.0	15.0	0.0				
			2	3	10.0	6.0	15.0	0.0	8.0	8.0	22.0	4.0	10.0	6.0	15.0	4.0	10.0	6.0	15.0	0.0				
			2	4	16.0	6.0	15.0	0.0	14.0	8.0	22.0	4.0	16.0	6.0	15.0	4.0	16.0	6.0	15.0	0.0				
			3,4	1	4.0	10.0	18.0	0.0	2.0	10.0	22.0	4.0	4.0	10.0	22.0	4.0	4.0	8.0	18.0	0.0				
			3,4	2	6.0	10.0	18.0	0.0	4.0	10.0	22.0	4.0	6.0	10.0	22.0	4.0	6.0	8.0	18.0	0.0				
			3,4	3	10.0	8.0	18.0	0.0	8.0	8.0	22.0	4.0	10.0	8.0	22.0	4.0	10.0	6.0	18.0	0.0				
			3,4	4	16.0	8.0	18.0	0.0	14.0	8.0	22.0	4.0	16.0	8.0	22.0	4.0	16.0	6.0	18.0	0.0				
6	*3	採草オーチャード	1	1	6.0	8.0	18.0	0.0	4.0	10.0	22.0	4.0	6.0	10.0	22.0	4.0	6.0	8.0	18.0	0.0				
			1	2	10.0	6.0	18.0	0.0	8.0	8.0	22.0	4.0	10.0	8.0	22.0	4.0	10.0	6.0	18.0	0.0				
			1	3	18.0	6.0	18.0	0.0	16.0	8.0	22.0	4.0	18.0	8.0	22.0	4.0	18.0	6.0	18.0	0.0				
			2	1	6.0	8.0	15.0	0.0	4.0	10.0	22.0	4.0	6.0	8.0	15.0	4.0	6.0	8.0	15.0	0.0				
			2	2	10.0	6.0	15.0	0.0	8.0	8.0	22.0	4.0	10.0	6.0	15.0	4.0	10.0	6.0	15.0	0.0				
			2	3	18.0	6.0	15.0	0.0	16.0	8.0	22.0	4.0	18.0	6.0	18.0	4.0	18.0	6.0	15.0	0.0				
			3,4	1	6.0	10.0	18.0	0.0	4.0	10.0	22.0	4.0	6.0	10.0	22.0	4.0	6.0	8.0	18.0	0.0				
			3,4	2	10.0	8.0	18.0	0.0	8.0	8.0	22.0	4.0	10.0	8.0	22.0	4.0	10.0	6.0	18.0	0.0				
			3,4	3	18.0	8.0	18.0	0.0	16.0	8.0	22.0	4.0	18.0	8.0	22.0	4.0	18.0	6.0	18.0	0.0				
6	*4	採草アルファルファ+チモシー	1	1	0.0	8.0	20.0	0.0					0.0	10.0	22.0	4.0	0.0	8.0	20.0	0.0				
			1	2	8.0	8.0	20.0	0.0					8.0	10.0	22.0	4.0	8.0	8.0	20.0	0.0				
			1	3	10.0	8.0	20.0	0.0					10.0	10.0	22.0	4.0	10.0	8.0	20.0	0.0				
			2	1	0.0	8.0	15.0	0.0					0.0	8.0	15.0	4.0	0.0	8.0	15.0	0.0				
			2	2	6.0	8.0	15.0	0.0					6.0	8.0	15.0	4.0	6.0	8.0	15.0	0.0				
			2	3	10.0	8.0	15.0	0.0					10.0	8.0	15.0	4.0	10.0	8.0	15.0	0.0				
			3,4	1	0.0	10.0	18.0	0.0					0.0	10.0	22.0	4.0	0.0	8.0	18.0	0.0				
			3,4	2	6.0	10.0	18.0	0.0					6.0	10.0	22.0	4.0	6.0	8.0	18.0	0.0				
			3,4	3	8.0	10.0	18.0	0.0					8.0	10.0	22.0	4.0	8.0	8.0	18.0	0.0				

作目 コード	作物 コード	作物名	地帯 区分	作型 コード	沖 積 土				泥 炭 土				火 山 性 土				洪 積 土				分施率%分施			
					N	P	K	M	N	P	K	M	N	P	K	M	N	P	K	M	N	P	K	回数
6	*5	採草アブラナ科ナタネ	1	1	0.0	8.0	20.0	0.0					0.0	10.0	22.0	4.0	0.0	8.0	20.0	0.0				
			1	2	4.0	8.0	20.0	0.0					4.0	10.0	22.0	4.0	4.0	8.0	20.0	0.0				
			1	3	8.0	8.0	20.0	0.0					8.0	10.0	22.0	4.0	8.0	8.0	20.0	0.0				
			2	1	0.0	8.0	15.0	0.0					0.0	8.0	15.0	4.0	0.0	8.0	15.0	0.0				
			2	2	0.0	8.0	15.0	0.0					0.0	8.0	15.0	4.0	0.0	8.0	15.0	0.0				
			2	3	6.0	8.0	15.0	0.0					6.0	8.0	15.0	4.0	6.0	8.0	15.0	0.0				
			3.4	1	0.0	10.0	18.0	0.0					0.0	10.0	22.0	4.0	0.0	8.0	18.0	0.0				
			3.4	2	4.0	10.0	18.0	0.0					4.0	10.0	22.0	4.0	4.0	8.0	18.0	0.0				
			3.4	3	8.0	10.0	18.0	0.0					8.0	10.0	22.0	4.0	8.0	8.0	18.0	0.0				
6	*6	放牧草地	1	1	8.0	8.0	10.0	0.0	6.0	8.0	12.0	0.0	8.0	8.0	15.0	0.0	8.0	8.0	12.0	0.0				
			1	2	15.0	8.0	10.0	0.0	12.0	8.0	12.0	0.0	15.0	8.0	15.0	0.0	15.0	8.0	12.0	0.0				
			2	1	6.0	8.0	8.0	0.0	6.0	8.0	12.0	0.0	6.0	8.0	8.0	0.0	6.0	8.0	8.0	0.0				
			2	2	15.0	8.0	8.0	0.0	12.0	8.0	12.0	0.0	15.0	8.0	8.0	0.0	15.0	8.0	8.0	0.0				
			3.4	1	8.0	8.0	10.0	0.0	6.0	8.0	12.0	0.0	8.0	8.0	12.0	0.0	8.0	8.0	10.0	0.0				
			3.4	2	15.0	8.0	10.0	0.0	12.0	8.0	12.0	0.0	15.0	8.0	12.0	0.0	15.0	8.0	10.0	0.0				
7	01	サイレージ用トモコシ	1	0	14.0	16.0	10.0	3.0	12.0	18.0	12.0	5.0	14.0	20.0	12.0	5.0	14.0	18.0	11.0	5.0	30			1
			2	0	14.0	16.0	10.0	3.0	11.0	18.0	12.0	5.0	15.0	18.0	13.0	5.0	13.0	18.0	10.0	5.0	30			1
			3	0	14.0	16.0	10.0	3.0	13.0	18.0	13.0	5.0	15.0	18.0	13.0	5.0	14.0	18.0	11.0	5.0	30			1
			4	0	13.0	15.0	10.0	3.0	10.0	18.0	14.0	5.0					12.0	18.0	10.0	5.0	30			1
			5	0	10.0	18.0	8.0	3.0	8.0	20.0	12.0	5.0					10.0	20.0	8.0	5.0	30			1
			6	0	11.0	18.0	10.0	3.0	10.0	20.0	14.0	5.0					11.0	20.0	10.0	5.0	30			1
			7	0	16.0	18.0	10.0	3.0	13.0	18.0	12.0	5.0	15.0	20.0	12.0	5.0	14.0	18.0	10.0	5.0	30			1
			8	0	15.0	18.0	10.0	3.0	12.0	18.0	12.0	5.0	14.0	20.0	12.0	5.0	13.0	18.0	10.0	5.0	30			1
			9	0	16.0	18.0	10.0	3.0	13.0	20.0	13.0	5.0	14.0	20.0	10.0	5.0					40			1
			10	0	17.0	18.0	11.0	3.0	14.0	20.0	14.0	5.0	15.0	20.0	11.0	5.0					40			1
			11	0	15.0	18.0	10.0	3.0	12.0	20.0	12.0	5.0	14.0	20.0	10.0	5.0					40			1
			12	0	15.0	18.0	11.0	3.0	12.0	20.0	14.0	5.0	13.0	20.0	14.0	5.0					40			1
			13	0	14.0	18.0	10.0	3.0	12.0	20.0	14.0	5.0	12.0	20.0	14.0	5.0					40			1
7	02	飼料用ビート	0	0	15.0	18.0	14.0	3.0	12.0	20.0	16.0	5.0	15.0	22.0	15.0	5.0	14.0	22.0	14.0	5.0				
7	03	ルタバカ	0	0									12.0	15.0	14.0	5.0								
7	04	飼料かぶ	0	0									8.0	10.0	10.0	5.0								
7	05	青刈り用なたね	0	0									8.0	10.0	10.0	5.0								